


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3793$ $y=0.3740$ / $u'=0.2255$ $v'=0.5002$

CCT=4010K (Duv=-0.0010) Dominant WL:Ld =579.6nm Purity=26.1%

Peak WL:Lp=450.7nm FWHM=22.2nm

Render Index:Ra=73.3

R1 =71	R2 =79	R3 =84	R4 =72	R5 =70	R6 =69	R7 =82	
R8 =57	R9 =-16	R10=49	R11=66	R12=40	R13=73	R14=90	R15=67

Photometric & Radiometric Parameters

Flux=13733 lm Eff.:110.21 lm/W Fe=40.59 W

Electrical parameters

V = 229.7 V I = 0.5506 A P = 124.6 W PF = 0.9851

LEVEL:OUT WHITE:ANSI_4100K

Status: Integral T = 98 ms Ip = 49742 (76%)

Test Mode: Accuracy Test; Sensitivity = Low; Tecool: ON

Model:ST07-120
 Test By:
 Temperature:25.3Deg
 Manufacturer:
 Assessor:damin

Number:132
 Date:2016-11-16 16:55:12
 Humidity:83.0%
 Remarks: