

# LED Test Report

**Product Mark**

Product Type :RE-P025S1-60N1WD-TC-TL

Manufacturer :


Temperature :PAN'C

Humidity :65%

Operator :PAN

Test Date :2020-05-09 14:25:54

Remark:

**Chroma Parameters**

Chro.Coord.:x=0.3751 y=0.3713 u=0.2237 v=0.3323 duv=-0.0010

CCT: 4111K Dominant Wave.:579.2nm Purity:24.0%

Flux RGB Ratio:R=18.0%,G=79.4%,B=2.6% Peak Wave:452.1nm Half Width:20.2nm

**Rendering Index:Ra= 82.7**

R1 =81	R2 =90	R3 =95	R4 =81	R5 =82	R6 =85	R7 =85	R8 =63
R9 =6	R10=75	R11=80	R12=60	R13=83	R14=98	R15=75	

**Photo Parameters**

Flux:7741.79lm

Effi.:143.0lm/W

Radiant:27872.0mW

Iv:0.0mcd

Efficiency:0.095

Effi Level:A++ (EU 874-2012)

**Ele. Parameters**

Voltage:U=220.000V

Current:I=0.2550A

Power:P=54.13W

Power Factor:PF=0.962

**Instrument state**

Instrument:Hopoo HP8000S

Integral Time: 12.380ms

VPeak: 13975

VDark: 1169

Scan Range: 380-780nm

Product ID: 201708368