


# Factory

Number: \_\_\_\_\_

## Light SpectroPhotoColorMeter Analysis Report

### Relative Spectral Energy Distribution:



### Main Parameters:

CCT	5623 K	MainWave	532 nm	Luminous	1520.23 lm	Efficiency	83.53
Current	0.080 A	Voltage	239.9 V	P	18.2 W	PF	0.9
Average Color Index	85.2			Chromatic Coordinate	x=0.3296, y=0.3436 u=0.2040, v=0.4784		

### Other Parameters:

ColorPurity		2.2 %		PeakWave		457 nm		Peak		8019.2						
HalfWaveLength		29.0 nm		RedRatio		0.0 %		HZ		50 Hz						
CRI:	R1 = 85.3		R2 = 95.3		R3 = 94.0		R4 = 80.0		R5 = 84.1		R6 = 89.9		R7 = 84.9		R8 = 68.2	
	R9 = 17.1		R10 = 86.6		R11 = 79.8		R12 = 62.4		R13 = 89.1		R14 = 97.5		R15 = 80.2			

### Product Information:

Number		Model	UP-DL98B-6-18W-90° -5700K
Temperature	18.0 °C	Humidity	60.0 %
Tester	Lusiy	Reviewer	Janee
Manufacturer	Yuan Fang	Time	2017-02-08 16:55:12

Notes: \_\_\_\_\_