


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: x=0.4363 y=0.4096/u'=0.2478 v'=0.5235

CCT=3056K(Duv=0.0000) Dominant WL:Ld =581.8nm Purity=53.9%

Peak WL:Lp=601.1nm FWHM=133.6nm

Render Index:Ra=84.1

R1 =83	R2 =93	R3 =95	R4 =82	R5 =84	R6 =92	R7 =83	
R8 =61	R9 =11	R10=84	R11=83	R12=72	R13=86	R14=98	R15=75

Photometric & Radiometric Parameters

Flux=5384 lm Eff.:100.56 lm/W Fe=16.30 W

Electrical parameters

V=220.1 V I=0.2490 A P=53.54 W PF=0.9769 F=50.00 Hz


Status: Integral T = 56 ms Ip = 47965 (73%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:PL-6012-50D-CCT-UGR
Test By:ZYP
Temperature:25.3Deg
Manufacturer:
Assessor:damin

Number:4
Date:2020-05-20 20:35:34
Humidity:65.0%
Remarks:

Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3723$ $y=0.3689$ $u'=0.2228$ $v'=0.4969$

CCT=4176K (Duv=-0.0027) Dominant WL:Ld =579.2nm Purity=22.4%

Peak WL:Lp=453.5nm FWHM=19.3nm

Render Index:Ra=86.8

R1 =87	R2 =94	R3 =96	R4 =85	R5 =86	R6 =89	R7 =87	
R8 =71	R9 =26	R10=84	R11=85	R12=63	R13=89	R14=98	R15=82

Photometric & Radiometric Parameters

Flux=5301 lm Eff.:104.46 lm/W Fe=16.66 W

Electrical parameters

V=220.1 V I=0.2360 A P=50.75 W PF=0.9769 F=50.00 Hz


Status: Integral T = 58 ms Ip = 46168 (70%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:PL-6012-50D-CCT-UGR
Test By:ZYP
Temperature:25.3Deg
Manufacturer:
Assessor:damin

Number:14
Date:2020-05-20 20:43:35
Humidity:65.0%
Remarks:

Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: x=0.3206 y=0.3354/u'=0.2009 v'=0.4729

CCT=6060K(Duv=0.0024) Dominant WL:Ld =493.8nm Purity=4.2%

Peak WL:Lp=453.5nm FWHM=19.5nm

Render Index:Ra=84.4

R1 =83	R2 =89	R3 =91	R4 =84	R5 =83	R6 =83	R7 =89	
R8 =72	R9 =16	R10=73	R11=83	R12=56	R13=85	R14=95	R15=79

Photometric & Radiometric Parameters

Flux=5275 lm Eff.:103.95 lm/W Fe=17.17 W

Electrical parameters

V=220.1 V I=0.2360 A P=50.75 W PF=0.9769 F=50.00 Hz

Status: Integral T = 46 ms Ip = 50775 (77%)

Test Mode: Accuracy Test; Sensitivity = High; Tecool: ON

Model:PL-6012-50D-CCT-UGR
Test By:ZYP
Temperature:25.3Deg
Manufacturer:
Assessor:damin

Number:19
Date:2020-05-20 20:46:03
Humidity:65.0%
Remarks: