


Spectrophotometer Test Report

Light Source Test Report



CIE Color Parameters:

Chromaticity Coordinate: $x=0.3779$ $y=0.3801$ / $u'=0.2221$ $v'=0.5027$ ($duv=2.33e-003$)

CCT: $T_c=4092K$ Prcp WaveL: $\lambda_c=577.5nm$ Purity=27.5%

Peak WaveL: $\lambda_p=450nm$ Half Width: $\Delta\lambda=21.3nm$ Ratio: R=17.7% G=78.7% B=3.6%

Average Wave: 568nm PB=3.7410 PG=3.8864 PFCLASS: OUT=145.4024

Rendering Index: Ra=81.9

R1 =80	R2 =88	R3 =95	R4 =81	R5 =80	R6 =84	R7 =86	R8 =63
R9 =3	R10=72	R11=80	R12=57	R13=82	R14=97	R15=73	

Photo Parameters:

Flux: $\Phi=3942.5(lm)$ Luminous Efficacy: 109.57(lm/W) Luminous Power: P=11.76(W)

Electrical Parameters:

U=220.9V I=0.1665A P=35.98W PF=0.979

Instrument Status:

Scan Range: 380.0nm-800.0nm

Interval: 5.0nm

Ip = 4042(G=6,D=50)

REF = 21770

TMP(PMT) = 13.8degrees centigrad/Test Mode: Fast Test

Product Type: 47024362
Instrument: PMS-80 System
Temperature: 25.0deg
Test Operator: LXF

Manufacturer: JT
Test Department: JT
Humidity: 25.0%
Test Date: 2021-04-07 09:30